

# FirstCare Children's Allergy Relief Diphenhydramine HCl Antihistamine Chewable Bars



## Product description

Introducing FirstCare Diphenhydramine HCl Chewable Bars, an innovative and revolutionary medicated chewable bar dosage form for Diphenhydramine.

Are you tired of your children refusing to take their medication, when they either get a fever or allergy? Avoid liquid dosage errors in children, and spitting out of medicine. Say goodbye to the sticky mess of liquid children's medication. With chewable bars, there is no fuss, no mess! The chewable bar is a unit dose that does not require a dosage cup for administration, and it tastes good! Additionally, with chewable bar bacteria contamination is avoided from multi-liquids. Available in 20 count for Diphenhydramine HCl Antihistamine 12.5 mg (Children's Allergy).

The oral chewable bar dosage format is composed of organoleptic properties that makes the medication soft, chewy, gummy, and tasty. The product has proprietary formulation and pharmaceutical processing. Chewable bar dosage forms are often used to improve drug administration with patients that have difficulty swallowing (dysphagia) as well as pediatric and geriatric patient

<b>Drug Facts</b>											
<b>Active ingredient (in each soft chew)</b> Diphenhydramine HCl 12.5 mg	<b>Purpose</b> Antihistamine										
<b>Uses</b> <ul style="list-style-type: none"> <li>▪ Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</li> <li>▪ Runny nose</li> <li>▪ Itchy, watery eyes</li> <li>▪ Sneezing</li> <li>▪ Itching of the nose or throat</li> </ul>											
<b>Warnings</b> <b>Do not use</b> <ul style="list-style-type: none"> <li>▪ To make child sleepy</li> <li>▪ with any other product containing diphenhydramine, even one used on skin</li> </ul>											
<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>▪ a breathing problem such as emphysema or chronic bronchitis</li> <li>▪ glaucoma</li> <li>▪ trouble urinating due to an enlarged prostate gland</li> </ul>											
<b>Ask a doctor or pharmacist before use if you are</b> taking sedatives or tranquilizers											
<b>When using this product</b> <ul style="list-style-type: none"> <li>▪ excitability may occur, especially in children</li> <li>▪ marked drowsiness may occur</li> <li>▪ avoid alcoholic drinks</li> <li>▪ alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>▪ be careful when driving a motor vehicle or operating machinery</li> </ul>											
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.											
<b>Directions</b> <ul style="list-style-type: none"> <li>▪ take every 4 to 6 hours, or as directed by a doctor</li> <li>▪ do not take more than 6 times in 24 hours</li> <li>▪ Instruct child to chew each soft chew thoroughly before swallowing</li> <li>▪ find right dose on chart below</li> </ul> <table border="1"> <thead> <tr> <th><b>Age (yr)</b></th> <th><b>Dose (soft chew)</b></th> </tr> </thead> <tbody> <tr> <td>Children under 2 years</td> <td>Do not use</td> </tr> <tr> <td>Children 2 to 5 years</td> <td>Do not use unless directed by a doctor</td> </tr> <tr> <td>Children 6 to 11 years</td> <td>1 to 2 soft chews (12.5 mg to 25 mg)</td> </tr> <tr> <td>Adults and children 12 years and over</td> <td>2 to 4 soft chews (25 mg to 50 mg)</td> </tr> </tbody> </table>		<b>Age (yr)</b>	<b>Dose (soft chew)</b>	Children under 2 years	Do not use	Children 2 to 5 years	Do not use unless directed by a doctor	Children 6 to 11 years	1 to 2 soft chews (12.5 mg to 25 mg)	Adults and children 12 years and over	2 to 4 soft chews (25 mg to 50 mg)
<b>Age (yr)</b>	<b>Dose (soft chew)</b>										
Children under 2 years	Do not use										
Children 2 to 5 years	Do not use unless directed by a doctor										
Children 6 to 11 years	1 to 2 soft chews (12.5 mg to 25 mg)										
Adults and children 12 years and over	2 to 4 soft chews (25 mg to 50 mg)										
<b>Other information</b> <ul style="list-style-type: none"> <li>▪ each soft chew contains <b>sodium 7 mg.</b> very low sodium</li> <li>▪ store in a cool dry place between 20-25°C (68-77°F).</li> <li>▪ <b>Child Resistant Container; do not use if printed seal under cap is broken or missing.</b></li> </ul>											
<b>Inactive ingredients:</b> citric acid, flavor, glucose syrup, hydroxypropyl betadex, magnesium stearate, maltitol solution, maltodextrin, mineral oil, neotame, purified water, seaweed extract (carrageenan), sodium chloride, starch, sucralose, sucrose, trisodium citrate dihydrate.											
<b>Questions or comments?</b> Call 1-800-227-6151											